

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	((downstream upstream) same test).clm. and (power near2 loss). clm. and noise.clm.	US-PGPUB; USPAT	OR	OFF	2006/09/07 09:16
L5	86	((downstream upstream) same test).clm. and (diagnostic calibrat\$3).clm.	US-PGPUB; USPAT	OR	OFF	2006/09/07 09:19
L6	60	5 and (@ad<="20020207" @rlad<="20020207")	US-PGPUB; USPAT	OR	OFF	2006/09/07 09:20
L7	4	reidhead.inv. evanyk.inv. and (diagnostic callibration) same (cable CATV) and (@ad<="20020207" @rlad<="20020207")	US-PGPUB; USPAT	OR	OFF	2006/09/07 09:19
L8	1929	(diagnostic callibration) same (cable CATV) and (@ad<="20020207" @rlad<="20020207")	US-PGPUB; USPAT	OR	OFF	2006/09/07 09:19
L9	4553	(diagnostic calibration) same (cable CATV) and (@ad<="20020207" @rlad<="20020207")	US-PGPUB; USPAT	OR	OFF	2006/09/07 09:19
L10	65	((downstream upstream) same test) and 9	US-PGPUB; USPAT	OR	OFF	2006/09/07 09:19
L11	65	10 and (@ad<="20020207" @rlad<="20020207")	US-PGPUB; USPAT	OR	OFF	2006/09/07 09:20